

Safety Data Sheet

according to WHS Regulations

Printing date 14.10.2019

Revision: 14.10.2019

1 Identification

Product Name: EASY POX 3008**Other Means of Identification:** Mixture**Recommended Use of the Chemical and Restriction on Use:** Sewer repair**Details of Manufacturer or Importer:**

Pipe Core Pty Ltd
Unit 8, 600 Lorimer Street,
Port Melbourne, Victoria 3207

Phone Number: 1800 747 326**Emergency telephone number:** National Poison Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



skull and crossbones

Acute Toxicity (Inhalation) 1 H330 Fatal if inhaled.



corrosion

Skin Corrosion/Irritation 1B H314 Causes severe skin burns and eye damage.

Serious Eye Damage/Irritation 1 H318 Causes serious eye damage.



environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed.

Acute Toxicity (Dermal) 4 H312 Harmful in contact with skin.

Skin Sensitisation 1 H317 May cause an allergic skin reaction.

Flammable Liquids 4 H227 Combustible liquid.

Signal Word Danger**Hazard Statements**

H227 Combustible liquid.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 14.10.2019

Revision: 14.10.2019

Product Name: EASY POX 3008

(Contd. of page 1)

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P210	Keep away from flames and hot surfaces. No smoking.
P260	Do not breathe dusts or mists.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	[In case of inadequate ventilation] wear respiratory protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P320	Specific treatment is urgent (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use to extinguish: CO ₂ , powder or water spray.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Hazardous Components:**

Hazardous Components:		
CAS: 39423-51-3	Trimethylolpropane ⚠️ Serious Eye Damage/Irritation 1, H318; ⚠️ Aquatic Chronic 2, H411; ⚠️ Acute Toxicity (Oral) 4, H302; Acute Toxicity (Dermal) 4, H312	30 - <35%
CAS: 111-40-0	1,2-Ethanediamine, N-(2-aminoethyl)- ⚠️ Acute Toxicity (Inhalation) 1, H330; ⚠️ Skin Corrosion/Irritation 1B, H314; ⚠️ Serious Eye Damage/Irritation 1, H318; ⚠️ Acute Toxicity (Oral) 4, H302; ⚠️ Acute Toxicity (Dermal) 4, H312; Skin Sensitisation 1, H317	20 - <25%
CAS: 1477-55-0	m-Xylylendiamine ⚠️ Skin Corrosion/Irritation 1B, H314; ⚠️ Serious Eye Damage/Irritation 1, H318; ⚠️ Acute Toxicity (Oral) 4, H302; Acute Toxicity (Inhalation) 4, H332; Skin Sensitisation 1, H317; Aquatic Chronic 3, H412	20 - <25%
CAS: 8007-24-7	Cashew nut shell oil ⚠️ Serious Eye Damage/Irritation 1, H318; ⚠️ Acute Toxicity (Dermal) 4, H312; Skin Corrosion/Irritation 2, H315; Skin Sensitisation 1, H317; Aquatic Chronic 3, H412	1 - <5%

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 14.10.2019

Revision: 14.10.2019

Product Name: EASY POX 3008

(Contd. of page 2)

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. Do not give mouth-to-mouth or mouth-to-nose resuscitation. Use proper respiratory device. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Wash with polyethylene glycol if available. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: Fatal if inhaled.

Skin Contact: Causes severe skin burns. May cause an allergic skin reaction. Harmful in contact with skin.

Eye Contact: Causes serious eye damage.

Ingestion: Harmful if swallowed.

5 Fire Fighting Measures

Suitable Extinguishing Media: Foam, dry chemical powder or carbon dioxide. Do not use full water jet.

Specific Hazards Arising from the Chemical:

No hazardous decomposition products known.

Combustible liquid.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved self-contained breathing apparatus and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.

Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use.

Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Contaminated work clothing must not be allowed out of the workplace. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 14.10.2019

Revision: 14.10.2019

Product Name: EASY POX 3008

(Contd. of page 3)

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Keep in original container. Keep away from strong oxidising agents and acids.
Recommended storage temperature: 5 - 30°C.

8 Exposure Controls and Personal Protection

Exposure Standards:**CAS: 111-40-0 1,2-Ethanediamine, N-(2-aminoethyl)-**

WES	TWA: 4.2 mg/m ³ , 1 ppm Sk, Sen
-----	---

CAS: 1477-55-0 m-Xylylendiamine

WES	Peak limitation: 0.1 mg/m ³ Sk
-----	--

Engineering Controls: Ensure adequate ventilation of the working area.**Respiratory Protection:**

Use an approved type A vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Nitrile, butyl rubber or viton gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Transparent
Odour:	Amine-like
Odour Threshold:	No information available
pH-Value:	No information available
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	>90 °C (Calculated)
Flammability:	Combustible
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Density at 23 °C:	~1.0 g/cm ³ (ISO 2811-2)

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 14.10.2019

Revision: 14.10.2019

Product Name: EASY POX 3008

(Contd. of page 4)

Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	No information available
Partition Coefficient (n-octanol/water):	No information available
Viscosity at 25 °C:	130 - 210 mPa.s (ISO 2884-1)

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: No further relevant information available.

Incompatible Materials: Strong oxidising agents and acids.

Hazardous Decomposition Products: No hazardous decomposition products known.

11 Toxicological Information

Toxicity:

LD₅₀/LC₅₀ Values Relevant for Classification:

CAS: 39423-51-3 Trimethylolpropane

Oral	LD ₅₀	550 mg/kg (rat)
Dermal	LD ₅₀	>1,000 mg/kg (rat)

CAS: 111-40-0 1,2-Ethanediamine, N-(2-aminoethyl)-

Oral	LD ₅₀	1,533 mg/kg (rat)
Dermal	LD ₅₀	1,045 mg/kg (rabbit)
Inhalation	LC ₅₀ /4 h	0.07 mg/l (rat)

CAS: 1477-55-0 m-Xylylendiamine

Oral	LD ₅₀	930 mg/kg (rat)
Dermal	LD ₅₀	>3,100 mg/kg (rat)
Inhalation	LC ₅₀ /4 h	1.34 mg/l (rat)

Acute Health Effects

Inhalation: Fatal if inhaled.

Skin: Causes severe skin burns. May cause an allergic skin reaction. Harmful in contact with skin.

Eye: Causes serious eye damage.

Ingestion: Harmful if swallowed.

Skin Corrosion / Irritation: Causes severe skin burns.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 14.10.2019

Revision: 14.10.2019

Product Name: EASY POX 3008

(Contd. of page 5)

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:** No information available

12 Ecological Information

Ecotoxicity:**Aquatic toxicity:**

Toxic to aquatic life with long lasting effects.

CAS: 39423-51-3 TrimethylolpropaneEC₅₀/48 h 13 mg/l (daphnia)EC₅₀/72 h 4.4 mg/l (pseudokirchnerie lla subcapitata)**CAS: 111-40-0 1,2-Ethanediamine, N-(2-aminoethyl)-**EC₅₀/72 h 1,164 mg/l (senastrum capricornutum)LC₅₀/96 h 430 mg/l (poecilia reticulata)**CAS: 1477-55-0 m-Xylylendiamine**EC₅₀/48 h 16 mg/l (daphnia)EC₅₀/72 h 20.3 mg/l (pseudokirchnerie lla subcapitata)LC₅₀/96 h 87.6 mg/l (oryzias latipes)**Persistence and Degradability:** Ingredients of this product are not readily biodegradable.**Bioaccumulative Potential:** No further relevant information available.**Mobility in Soil:** No further relevant information available.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number**ADG, IMDG, IATA**

UN2922

Proper Shipping Name**ADG**

CORROSIVE LIQUID, TOXIC, N.O.S. (m-Xylylendiamine, Trimethylolpropane), ENVIRONMENTALLY HAZARDOUS

IMDG

CORROSIVE LIQUID, TOXIC, N.O.S. (m-Xylylendiamine, Trimethylolpropane), MARINE POLLUTANT

IATA

CORROSIVE LIQUID, TOXIC, N.O.S. (m-Xylylendiamine, Trimethylolpropane)

Dangerous Goods Class**ADG Class:**

8 Corrosive substances.

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Printing date 14.10.2019

Revision: 14.10.2019

Product Name: EASY POX 3008

(Contd. of page 6)

Subsidiary Risk:	6.1 Toxic substances.
Packing Group: ADG, IMDG, IATA	II
Marine pollutant:	Yes Symbol (fish and tree)
EMS Number:	F-A,S-B
Hazchem Code:	2X
Special Provisions:	274
Limited Quantities:	1L
Packagings & IBCs - Packing Instruction:	P001, IBC02
Portable Tanks & Bulk Containers - Instructions:	T7
Portable Tanks & Bulk Containers - Special Provisions:	TP2

15 Regulatory Information

Australian Inventory of Chemical Substances:

CAS: 39423-51-3	Trimethylolpropane
CAS: 111-40-0	1,2-Ethanediamine, N-(2-aminoethyl)-
CAS: 1477-55-0	m-Xylylendiamine
CAS: 8007-24-7	Cashew nut shell oil

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

16 Other Information

Date of Preparation or Last Revision: 14.10.2019**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percentLD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Acute Toxicity (Inhalation) 1: Acute toxicity – Category 1

Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1B

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation – Category 1

Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Printing date 14.10.2019

Revision: 14.10.2019

Product Name: EASY POX 3008

(Contd. of page 7)

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Pipe Core Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.